

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number: 7,521,071

Date Issued: April 21, 2009

Application Number: 10/669,869

Filed: September 23, 2003

Name of Patentee: Cyrus Rustam Kumana and Yok-Lam Kwong

Title of Invention: *Formulation of Oral Compositions Comprising Arsenic Trioxide and Methods of Use Thereof*

Commissioner for Patents
Office of Patent Publication
ATTN: Certificate of Correction Branch
P.O. Box 1450
Alexandria, VA 22313-1450

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
DUE TO PTO AND APPLICANT'S ERRORS**

Sir:

Attached is form PTO/SB/44, which is suitable for printing.

In accordance with MPEP 1485, the exact page and/or claim and line number where errors occurred in the application file are discussed below.

LIST OF ERRORS IN THE PATENT

1. Column 2, line 37.
2. Column 2, line 47.
3. Column 3, line 27.
4. Column 6, line 28.
5. Column 6, line 58.
6. Column 7, line 45.
7. Column 20, line 40.
8. Column 20, line 52.
9. Column 20, line 55.

PTO'S ERRORS

In error 3, column 3, line 27, “modern” should be “modern”. The requested correction to this claim can be attributed to the application filed on September 23, 2003, on page 4, line 17.

In error 7, claim 10, column 20, line 40, “promyclocytic” should be “promyelocytic”. The requested correction to this claim can be attributed to the amendment filed on May 15, 2008, on page 3. (Claim 40, renumbered as issued claim 10).

In error 8, claim 12, column 20, line 52, “promyclocytic” should be “promyelocytic”. The requested correction to this claim can be attributed to the amendment filed on May 15, 2008, on page 4. (Claim 42, renumbered as issued claim 12).

In error 9, claim 14, column 20, line 55, “is a” should be “is”. The requested correction to this claim can be attributed to the Examiner’s Amendment mailed on January 2, 2009.

APPLICANT'S ERRORS

In error 1, Column 2, line 37. Please add "2.1.4" before Myelodysplastic syndromes. This was an oversight in the original application. Applicants do not believe that adding a linking title constitutes new matter and requests that the 2.1.4 be added for clarification of the paragraph. The omission occurred on page 3, line 11.

In error 2, Column 2, line 47, "causes" should be "cause". The requested correction to this error is attributed to the application originally filed on September 23, 2003. This error occurs in the original application on page 3, line 17.

In error 4, column 6, line 28, "is" should be "is/are". This was an oversight in the original application and appreciate consideration of adding "/are" for grammatical clarity. This error occur in the original application on page 8, line 24.

In error 5, column 6, line 58, "provide" should be "provides". The requested correction to this error is attributed to the application originally filed on September 23, 2003. This error occur in the original application on page 9, line 10.

In error 6, column 7, line 45, "uninfected" should be "unaffected". The requested correction to this error is attributed to the application originally filed on September 23, 2003. This error occur in the original application on page 10, line 14.

Applicants submit that errors due to Applicant's mistake are clerical, typographical, or of minor character and occurred in good faith.

Correction of these errors does not involve such changes in the patent as would constitute new matter or would require re-examination.

Please issue a Certificate of Correction and send the document to:

Customer No. 23579
Patrea L. Pabst
PABST PATENT GROUP LLP
1545 Peachtree Street
Suite 320
Atlanta, Georgia 30309

Please charge the \$100.00 fee for the Certificate of Correction to Deposit Account No. 50-3129. Applicants believe that no other fees are required. However, should another fee be required, the Commissioner is hereby authorized to charge the fee to Deposit Account No. 50-3129.

Very truly yours,

PABST PATENT GROUP LLP

/Charles Vorndran/
Charles Vorndran
Reg. No. 45,315

Date: July 31, 2009

PABST PATENT GROUP LLP
1545 Peachtree Street
Suite 320
Atlanta, Georgia 30309
(404) 879-2153
(404) 879-2160 (Facsimile)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,521,071
APPLICATION NO.: 10/669,869
ISSUE DATE : April 21, 2009
INVENTOR(S) : Cyrus Rustam Kumana and Yok-Lam Kwong

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 2, line 37. Insert "2.1.4" before "Myelodysplastic syndromes".
Column 2, line 47, replace "causes" with --cause--.
Column 3, line 27, replace "modem" with --modern--.
Column 6, line 28, replace "is" with --is/are--.
Column 6, line 58, replace "provide" with --provides--.
Column 7, line 45, replace "uninfected" with --unaffected--.
Column 20, line 40, replace "promycloctytic" with --promyelocytic--.
Column 20, line 52, replace "promycloctytic" with --promyelocytic--.
Column 20, line 55, replace "is a" with --is--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Pabst Patent Group LLP
1545 Peachtree Street, Suite 320
Atlanta, Georgia 30309
United States of America

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.